

**WARNING:TOXIC ECOTOXIC**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# FURY 120 SC

## General Household Insecticide

ACTIVE CONSTITUENT: 80 g/L BIFENTHRIN,  
40 g/L ALPHA-CYPERMETHRIN



Toxic



Chronic Toxic



Ecotoxic

GROUP	<b>3A</b>	INSECTICIDE
-------	-----------	-------------

For knockdown and residual control of a wide range of internal pests including ants, clothes moths, cockroaches, flies and silverfish and external pests including ants, biting midges, fleas, flies, mosquitoes, papernest wasps and spiders.

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE**

**Contents: 1 L**

Approved pursuant to the HSNO Act 1996, Approval Code HSR101069.  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

Supplied By: Garrards Unit 4, 27b Cain Road, PENROSE. AUCKLAND  
Telephone Number: (09) 526 5232 Fax Number (09) 526 4272  
EMERGENCY: 111 or FIRE BRIGADE Poisoning: 0800 764 766

® FMC & FURY are Registered Trademarks of FMC Corporation, Philadelphia, USA

## STORAGE, SPILLAGE AND DISPOSAL

Store in closed original containers in cool, well ventilated areas away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter and dispose of waste as indicated below. Do not re-use empty containers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to tank mix. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

## SAFETY DIRECTIONS

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin. Facial skin contact may cause temporary facial numbness. Causes mild skin irritation. May cause an allergic skin reaction. May cause damage to central nervous system through prolonged or repeated exposure. Avoid release to the environment. Collect spillage. Very toxic to aquatic life with long lasting effects. Harmful to the soil environment. Toxic to terrestrial vertebrates. Very toxic to terrestrial invertebrates.

Read label before use. Cover human and pet food preparation surfaces and utensils before the application of this substance, or, where this is not possible, after the application of this substance, wash all such items thoroughly before use. Pets must be removed from the treatment area and fish tanks must be covered before this substance is used. When applied indoors this substance must only be applied as a spot, crack or crevice treatment. Do not apply as a surface spray indoors. Do not apply to furniture, carpets or other surfaces that children may come into contact with. The application of the substance is limited to ground-based application methods only. This substance must not be applied into or onto water.

Do not breathe mist or spray. Do not eat, drink or smoke when using this product. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), and elbow length chemical resistant gloves. When using the prepared spray wear cotton overalls, over normal clothing, buttoned to the neck and wrist and a washable hat, elbow length chemical resistant gloves and a half face piece respirator. Wash hands after use. After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water, and contaminated clothing. Contaminated clothing should not be allowed out of the workplace.

**RE-ENTRY** The area of application must be ventilated after application. Re-entry to the application area is not permitted until the spray is dry.

**FIRST AID** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone New Zealand 0800 POISON or 0800 764 766. For specific directions, see attached leaflet or the Safety Data Sheet.

**SAFETY DATA SHEET** Additional information is listed in the SDS which is available at [fmcaustralasia.com.au](http://fmcaustralasia.com.au)

**WARRANTY** This product must not be sold or provided to the general public. It may only be used by an approved handler. FMC Australasia Pty Ltd makes no warranty expressed or implied, concerning the use of this product other than that indicated on the label. Except as so warranted the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**BATCH NO:**  
**DOM:**  
**UN 3352**  
**PYRETHROID PESTICIDE, LIQUID, TOXIC.**



# WARNING: TOXIC ECOTOXIC

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# FURY 120 SC

## General Household Insecticide

ACTIVE CONSTITUENT: 80 g/L BIFENTHRIN,  
40 g/L ALPHA-CYPERMETHRIN

GROUP	<b>3A</b>	INSECTICIDE
-------	-----------	-------------

For knockdown and residual control of a wide range of internal pests including ants, clothes moths, cockroaches, flies and silverfish and external pests including ants, biting midges, fleas, flies, mosquitoes, papernest wasps and spiders.



Toxic



Chronic Toxic



Ecotoxic

### IMPORTANT: READ THIS LEAFLET BEFORE USE

Approved pursuant to the HSNO Act 1996, Approval Code HSR101069.  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

Supplied By: Garrards Unit 4, 27b Cain Road, PENROSE. AUCKLAND  
Telephone Number: (09) 526 5232 Fax Number (09) 526 4272  
EMERGENCY: 111 or FIRE BRIGADE Poisoning: 0800 764 766

© FMC & FURY are Registered Trademarks of FMC Corporation, Philadelphia, USA

## FURY 120 SC General Household Insecticide

### DIRECTIONS FOR USE:

SITUATION	PESTS	RATE	CRITICAL COMMENTS
Internal and external areas of Domestic, Commercial, Public and Industrial buildings and Structures	Ants	Initial treatment 125 mL/10 L  Maintenance treatment 75 mL/10 L	<p><b>To control ants and cockroaches:</b> Apply the prepared emulsion as a coarse low pressure spray to ensure thorough coverage of surfaces where pests hide, frequent &amp; rest. Pay particular attention to protected dark areas such as behind &amp; under sinks, stoves, refrigerators, furniture, pipes &amp; other known hiding or resting places. Spray to the point of run-off, but do not exceed "<i>the point of runoff</i>". As a guide: Use approximately 5 L of spray mixture per 100 m<sup>2</sup>, for non-absorptive surfaces, and Use 10 L of spray mixture per 100 m<sup>2</sup>, for absorptive surfaces. Use the higher rate in situations where pest pressure is severe, and where rapid knockdown and/or maximum residual protection is desired.</p> <p><b>Cracks and crevices</b> provide refuges where insects can hide and rest. To ensure optimal control, pay particular attention to cracks and crevices and other potential refuges; treat with an appropriate solid stream nozzle.</p> <p><b>Ants:</b> Apply to trails and nests in or on buildings only. Retreat as necessary.</p> <p><b>To control Biting midges, flies and mosquitoes:</b> Apply the prepared emulsion to indoor and outdoor surfaces, as a coarse low pressure spray, ensuring good coverage and wetting of all surfaces out of the reach of children. Treat all areas where insects rest or harbour. Internal harbourage sites include, but are not restricted to, walls, fly screens and indoor plants. External harbourage sites including building exteriors including eaves, walls, foundations, verandas, window frames, patios, potted ornamentals. Use the higher rate where pest pressure is severe and where rapid knockdown and/or residual protection is desired and use the lower rate when pest pressure is light and for maintenance applications.</p> <p>Use approximately 5 L of spray mixture per 100 m<sup>2</sup> for non-absorptive surfaces and use 10 L of spray mixture per 100 m<sup>2</sup> for absorptive surfaces.</p> <p><b>Silverfish:</b> Remove all infested and non-infested material, including books, paper and/or clothing from shelves or storage spaces before treatment. Clean or treat all affected material and storage sites, before repacking/ storing.</p>
	Cockroaches	Initial treatment 150 mL/10 L  Maintenance treatment 100 mL/10 L	
	Flies & Mosquitoes	Initial treatment 125 mL/10 L  Maintenance treatment 75 mL/10 L	
	Biting midges	Initial treatment 125 mL/10 L  Maintenance treatment 60 mL/10 L	
	Silverfish	Initial treatment 150 - 250 mL/10 L  Maintenance treatment 75 - 125 mL/10 L	

SITUATION	PESTS	RATE	CRITICAL COMMENTS
Internal and external areas of Domestic, Commercial, Public and Industrial buildings and Structures	Fleas (external areas only)	75 mL to 125 mL/10 L	<b>Fleas:</b> Before application remove pets, companion animals, fish and their feeding bowls etc. Treat external areas where pets eat and sleep. Repair lawns and move pet accommodation to fresh, non-dusty situations. Bath and/or treat all host animals, using appropriate, registered, flea treatments; if necessary consult your vet. Do not allow pets to re-enter the treated areas until the spray is dry and until they have been treated. Clean-up puddles or spillages of spray and/or contaminated feeding areas and equipment before allowing pets to re-enter. Use the higher rate, 125 mL/10 L for rapid knockdown and maximum residual protection. Treat reinfestations as necessary.
	Clothes moths	25 to 50 mL/10 L	Clothes moths rest and harbour in dark, undisturbed areas, such as under carpets especially if covered by furniture and in cupboards, chests and closets where clothing and other materials have been stored undisturbed for long periods. Remove clothing and other items from these areas and clean or vacuum before treating. Removed items should be inspected and where necessary cleaned and/or treated before being returned to storage.
	Papernest Wasp	75 mL/10 L	<b>Papernest wasps:</b> Apply the prepared emulsion directly to the nest, ensuring thorough coverage to the point-of-runoff. When all adult wasps have been knocked down, the nest may be safely removed from the structure.
	Spiders	Initial treatment 125 mL/10 L  Maintenance treatment 75 mL/10 L	<b>To Control spiders use a two part treatment:</b> 1. Crack and Crevice application: Pay particular attention to protected, dark areas such as cracks and crevices, under floors, eaves and other known hiding or resting places. Apply the emulsion through as solid stream nozzle. 2. Overall surface spray of surfaces: For overall surface application, apply the emulsion as a coarse, low pressure spray to areas where spiders hide, frequent and rest. Spray to the point of run-off using approximately 5 L of spray mixture per 100 m <sup>2</sup> ; ensure thorough coverage of the treated surfaces. Use the higher rate in situations where pest pressure is high or where rapid knockdown and/or maximum residual protection is desired.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## GENERAL INSTRUCTIONS

FURY 120 SC General Household Insecticide is a suspension concentrate (SC) formulation containing alpha-cypermethrin and bifenthrin; together the active ingredients provide the rapid knock down and flushing action of alpha-cypermethrin and the persistent residual action and spider control of bifenthrin. Pests are controlled by direct contact with the spray and also when they come into contact with active residues on treated surfaces.

FURY 120 SC General Household Insecticide is an easy-to-handle, water based, non-flammable mixture of alpha-cypermethrin and bifenthrin formulated as a suspension concentrate. It controls a broad range of important insect pests in and around domestic, commercial, public and industrial buildings and structures.

DO NOT use FURY 120 SC to control fleas ON animals. However, it may be safely used in an integrated flea control program to treat the environment where pets live and rest. Remove pets before spraying and do not allow them to re-enter until the spray has dried.

**CAUTION:** Do not apply coarse surface sprays to newly painted surfaces (less than 6 months old).

Under certain conditions some phytotoxic damage may occur on sensitive potted ornamentals such as African violet and maiden hair fern. To minimise damage avoid broadcast or overall application to foliage. If damage occurs, carefully remove damaged leaves and stems and allow plants to recover; new growth will not be affected.

## MIXING - SHAKE WELL BEFORE OPENING

FURY 120 SC is to be diluted with water prior to application.

1. Shake bottle well before opening. To obtain the desired volume of concentrate, loosen the cap on the measure side of container and slowly squeeze the container until the chamber is filled to the required level.
2. Add half of the desired volume of water to the sprayer/tank
3. Remove the chamber cap on the bottle and pour contents into the sprayer/tank.
4. Agitate and then fill sprayer to desired volume while continuing to agitate.
5. If spraying is interrupted agitate spray mix before recommencing application.

Do not store diluted insecticide. Mix only the amount of insecticide needed for each application.

**APPLICATION** Apply diluted insecticide using suitable spraying equipment to deliver a coarse spray onto surfaces frequented by pests, or as a stream into cracks and crevices where pests hide and rest. Spray surfaces to the point of run-off, ensuring thorough coverage of all treated surfaces.

## WARNING

Do not apply using equipment carried on the back of the user.

## INSECTICIDE RESISTANCE WARNING

**GROUP 3A INSECTICIDE**

For insecticide resistance management FURY 120 SC General Household Insecticide is a Group 3A Insecticide.

Some naturally occurring insect biotypes resistant to FURY 120 SC General Household Insecticide and other Group 3A Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if FURY 120 SC General Household Insecticide or other Group 3A Insecticides are used repeatedly. The effectiveness of FURY 120 SC General Household Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, FMC Australasia Pty Ltd accepts no liability for any losses that may result from the failure of FURY 120 SC General Household Insecticide to control resistant insects.

FURY 120 SC General Household Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, FMC Australasia Pty Ltd representative or local agricultural department agronomist.

## RE-ENTRY

Thoroughly ventilate treated area. Do not allow people or pets into treated areas until spray has dried. When prior entry by pest control operators is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent), and elbow length chemical resistant gloves. Clothing must be laundered after each day's use.

## PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Dangerous to fish. Do not contaminate fish ponds, drains, rivers or streams with pesticide or the used container. Remove or cover fish tanks and ponds before use. Do not discharge waste product into waterways.

## PROTECTION OF PETS AND LIVESTOCK

Before spraying, remove animals and pest from the areas to be treated. Cover and remove any open food and water containers. DO NOT spray directly onto animals.

**PRECAUTIONS:** Avoid contact with food, food utensils, or places where food is prepared or stored.

**BEFORE USE:** Remove or cover all exposed foodstuffs, cover all dishes and utensils, and places where food is prepared or stored.

**AFTER USE:** Thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

DO NOT use as a space spray or spray directly on humans.

## STORAGE, SPILLAGE AND DISPOSAL

Store in closed original containers in cool, well ventilated areas away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter and dispose of waste as indicated below. Do not re-use empty containers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to tank mix. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

## SAFETY DIRECTIONS

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin. Facial skin contact may cause temporary facial numbness. Causes mild skin irritation. May cause an allergic skin reaction. May cause damage to central nervous system through prolonged or repeated exposure. Avoid release to the environment. Collect spillage. Very toxic to aquatic life with long lasting effects. Harmful to the soil environment. Toxic to terrestrial vertebrates. Very toxic to terrestrial invertebrates.

Read label before use. Cover human and pet food preparation surfaces and utensils before the application of this substance, or, where this is not possible, after the application of this substance, wash all such items thoroughly before use. Pets must be removed from the treatment area and fish tanks must be covered before this substance is used. When applied indoors this substance must only be applied as a spot, crack or crevice treatment. Do not apply as a surface spray indoors. Do not apply to furniture, carpets or other surfaces that children may come into contact with. The application of the substance is limited to ground-based application methods only. This substance must not be applied into or onto water.

Do not breathe the mist or spray. Do not eat, drink or smoke when using this product. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), and elbow length chemical resistant gloves. When using the prepared spray wear cotton overalls, over normal clothing, buttoned to the neck and wrist and a washable hat, elbow length chemical resistant gloves and a half face piece respirator. Wash hands after use. After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water, and contaminated clothing. Contaminated clothing should not be allowed out of the workplace.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 0800 POISON or 0800 764 766. If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**SAFETY DATA SHEET**

Additional information is listed in the SDS which is available at [fmcaustralasia.com.au](http://fmcaustralasia.com.au)

**WARRANTY**

This product must not be sold or provided to the general public. It may only be used by an approved handler. FMC Australasia Pty Ltd makes no warranty expressed or implied, concerning the use of this product other than that indicated on the label. Except as so warranted the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.